

DEWALT®

XR FLEX VOLT™

POWER OF CORDED. | **FREEDOM** OF CORDLESS.



DEWALT XR FLEXVOLT™

2017

XR FLEX VOLT™

POWER OF CORDED. | **FREEDOM** OF CORDLESS.

CORDLESS, HEAVY-DUTY CONSTRUCTION POWER TOOLS

A range of 54V power tools offering runtime and performance that has never been seen before. With DeWALT XR FLEXVOLT™ trade professionals can reliably undertake heavy-duty construction without the need for mains power.



18V 54V

Our innovative, voltage-changing battery powers both 18V and our **NEW** groundbreaking 54V XR tools, paving the way to the jobsite of the future.

XR FLEXVOLT™

BATTERIES & CHARGERS

XR FLEXVOLT™ BATTERY

Operates at 54V on the FLEXVOLT™ tools, and automatically converts to operate at 18V on the 18V XR tool range.

	6AH	9AH
Part Number	DCB546-XE	DCB547-XE
RRP	\$149	\$199



XR FAST CHARGER

Charges both 18V and 54V batteries. The charge time for a 6.0Ah battery is 60 mins.

Part Number	DCB118-XE
RRP	\$199

XR DUAL PORT CHARGER

Charges 2 batteries simultaneously - 10.8V, 18V and / or 54V

Part Number	DCB132-XE
RRP	\$199



XR STARTER KIT

Includes Dual Port Charger and 2 x 54V XR FLEXVOLT™ batteries.

	6AH	9AH
Part Number	DCB132T2-XE	DCB132X2-XE
RRP	\$399	\$499

XR FLEXVOLT™

54V XR FLEXVOLT™ TABLESAW

The **WORLD'S FIRST** cordless Table Saw.

- **POWERFUL BRUSHLESS MOTOR**
- **ACCURATE DUAL RACK & PINION FENCE**
- **SITE-TOUGH STEEL ROLL CAGE**
- **AIRLOCK™ COMPATIBLE DUST EXTRACTION**
- **COMPACT LIGHTWEIGHT & PORTABLE**
- **DEDICATED EXTREME RUNTIME™ BLADE**



BRUSHLESS

54V

LITHIUM ION

XR FLEXVOLT™ TABLESAW

Blade	210mm x 30mm
Max Depth of Cut	65mm
Max Ripping Capacity	610mm
Dust Extraction	Air-Lock Compatible
Weight (inc battery)	22kg
Part Number	DCS7485T2-XE
RRP	\$1299

STANDS ROLLING & SCISSOR



Suitable for DCS7485T2-XE

Type 2 Suitable for DCS7485T2-XE

Part Number	DWE74911-XJ	Part Number	DE7450-XJ
RRP	\$309	RRP	\$135

Kit Includes

- **2 x 6.0Ah XR FLEXVOLT™ 18/54V Battery Packs** • **XR Fast Charger**

- **CUTS UP TO 83m** 19mm PLYWOOD (Using Blade - DT99565-QZ) • **CUTS UP TO 110m** HARDWOOD VENEER LAMINATE FLOORING (Using Blade - DT99565-QZ)
- **CUTS UP TO 75m** 16mm MELAMINE (Using Blade - DT99565-QZ)

XR EXTREME RUNTIME™ TABLE SAW BLADES

Maximise productivity by using XR EXTREME RUNTIME™ optimised table saw blades.	Part No	Blade Dia	Tooth Ct	Arbor	RRP
	DT99565-QZ	210mm	24T	30mm	\$26.10
	DT99566-QZ	210mm	36T	30mm	\$32.40
	DT99567-QZ	210mm	60T	30mm	\$44.60



63% MORE CUTS PER CHARGE

On average vs DW3182 210mm x 16mm x 24T ATB (1.93mm Thin Kerf) in 2" x 10" Pine



XR FLEXVOLT™

54V XR FLEXVOLT™ 216MM MITRE SAW

- **POWERFUL** BRUSHLESS MOTOR
- **XPS™** CROSS CUT POSITIONING SYSTEM
- **AIRLOCK™** COMPATIBLE DUST EXTRACTION
- **HIGH POWER** 6300RPM MOTOR
- **DEDICATED EXTREME RUNTIME™** BLADE



BRUSHLESS



XR FLEXVOLT™ 216MM MITRE SAW

Blade	216mm x 30mm
Max Cutting Capacity	270 x 62mm
Mitre Capacity (left / right)	50/50°
Bevel Capacity	48°
Weight (inc battery)	14kg
Part Number	DCS777T2-XE
RRP	\$949

Kit Includes

- **2 x 6.0Ah XR FLEXVOLT™ 18/54V Battery Packs • XR Fast Charger**
- **UP TO 331 CUTS** 90 x 35mm STRUCTURAL PINE (Using Blade - DT99568-QZ)
- **UP TO 90 CUTS** 200 x 50mm TREATED PINE SLEEPER (Using Blade - DT99568-QZ)



XR EXTREME RUNTIME™ MITRE SAW BLADES

Use XR EXTREME RUNTIME™ Mitre Saw blades with the DCS777 for the ultimate cutting experience.
- Longer life between re-sharpening

Part No	Blade Dia	Tooth Ct	Arbor	RRP
DT99568-QZ	216mm	24T	30mm	\$31.60
DT99569-QZ	216mm	36T	30mm	\$36.40
DT99570-QZ	216mm	60T	30mm	\$49.55



53% MORE CUTS PER CHARGE

On average vs DT1154-QZ 216mm x 30mm x 24T ATB (2.6mm Kerf) in 2" x 10" Pine

DEWALT

XR FLEXVOLT

**There
is only
1 choice**




DHS780T2A-XE

WORLD'S 1ST CORDLESS 305MM COMPOUND SLIDE MITRE SAW

Unprecedented power & cut capacity with the freedom of cordless technology. Revolutionary AC/DC powered from either 2 x 54v DeWALT® XR FLEXVOLT™ Battery Packs for jobsite freedom or the AC Mains Adaptor for workshop use. DeWALT® XR FLEXVOLT™ tools offer the professional tradesperson the...

...POWER OF CORDED. FREEDOM OF CORDLESS.™

ACCURACY




PRODUCTIVITY



CAPACITY



EASE OF USE




**POWER OF CORDED.
FREEDOM OF CORDLESS.™**

UNBEATABLE

DHS780T2A-XE FEATURES

ACCURACY



Engineered for Accuracy

- Machined fence and base design
- Stainless steel mitre detents
- Fully adjustable, for life

PRODUCTIVITY



Work Longer, Work Faster

- XPS worklight system offers:
 - Clear visible cut-line and illuminated work area
 - Fast set-up and repeatable accuracy

CAPACITY



Increased Cutting Capacity



- 303 x 110mm




- 25 x 170mm



- 410 x 33mm

FLEXIBILITY



Powered by either AC/DC

- DC MODE - Powered by 2 x 54V XR FLEXVOLT™ Battery Packs
- DC MODE - JOBSITE OF THE FUTURE
Cordless ability using 2x 54V Battery Packs
- AC MODE – Powered by 230V Mains Power when used in conjunction with DCB500 Power Supply
- Flexibility of AC MODE for when in the workshop



DURABILITY



DESIGNED FOR THE JOBSITE

- Long-life performance
- Heavy duty fence and table design

SYSTEM



CLASS LEADING MATERIAL MANAGEMENT SOLUTIONS

- Compatible with all DEWALT leg stands and saw benches
- Full range of machine attachments available

DUST EXTRACTION



IMPROVED DUST MANAGEMENT

- Efficient “in-line” dust deflector
- Up to 75% dust removal

EASE OF USE



SIMPLE AND FAST ADJUSTMENTS

- Clear, visible scales
- Intuitive bevel lock system
- Bevel stops for fast bevel set-up
- Depth stop facilities common joinery techniques:
 - Half lap
 - Tenon



XR FLEXVOLT™

2 x 54V XR FLEXVOLT™ 305MM SLIDING MITRE SAW

POWER OF CORDED. FREEDOM OF CORDLESS.

2x 54V
LITHIUM ION

BRUSHLESS

XPS work light – excellent
cutline visibility,
no adjustment required

2x54V Cordless or 230V
AC Power – proven power
for all your needs

High quality slide rail
assembly – for long life
performance

AIR LOCK™ - Fully compatible
allowing direct connection with
DeWALT dust management system.



Precision machined base
and rotary table for jobsite
durability

Stainless mitre detent lock
– delivers outstanding
repeatable accuracy



DHS780T2A-XE

Power Input	2x54V Cordless or 230V AC
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770x396x470mm
Weight	25kg

	X	Y	X	Y	X	Y
90° 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45° 45°	315 mm	50 mm				

Outstanding cutting capacity
of 303mm x 110mm – to meet
all your application requirements

Tall dual sliding fences –
maximising work piece
stability and accuracy


Kit

Part Number	DHS780T2A-XE
RRP	\$1649

Kit Includes

- 2 x 6.0Ah XR FLEXVOLT™ 18/54V Battery Packs • XR Dual Port Charger • AC Power Adaptor
- UP TO **161 CUTS** 100 x 100mm PRESSURE TREATED PINE
- UP TO **289 CUTS** 90mm BASE MOULDING

ACCURACY



PRODUCTIVITY



CAPACITY



EASE OF USE



STAND SYSTEMS

1.7M MITRE SAW STAND

Compatible with all DEWALT mitre saws. Full range of attachments available for all application requirements. Extends to 3.83 metres.



DW7232



DE7027-XJ



DW7231



DE7029-XJ



DE7028-XJ

\$329

RRP
EX GST \$299.09

DWX723-XE

Load Capacity	227Kg
Beam Length	1.7-3.83m
Weight	16Kg

CODE	ATTACHMENT	RRP
DW7232	Material Support Stop (each)	\$65
DW7231	Saw Support Brackets (1 pair)	\$79
DE7027-XJ	Roller Supports (each)	\$109
DE7028-XJ	Extension Arm Support (each)	\$109
DE7029-XJ	Increased Width Material Support (each)	\$109

DUST MANAGEMENT

SPECIFICATIONS	DWV902M-XE
Power Input	1400W
Max. Airflow	4080 l/min
Capacity	38 Litre
Weight	15 Kg
Height	695mm
Power Take Off Rating	1000W



\$825

RRP
EX GST \$750.00

SPECIFICATIONS	DWV900L-XE
Power Input	1400W
Max. Airflow	4080 l/min
Capacity	30 Litre
Weight	9.5 Kg
Height	500mm
Power Take Off Rating	1000W



\$449

RRP
EX GST \$408.18

XR EXTREME RUNTIME™ MITRE SAW BLADES

Use XR EXTREME RUNTIME™ Mitre Saw blades with the DHS780T2A-XE for the ultimate cutting experience.
- Longer life between re-sharpening

Part No	Blade Dia	Tooth Ct	Arbor	RRP
DT99595-QZ	305mm	60T	25.4mm	\$81.40
DT99566-QZ	305mm	78T	25.4mm	\$88.00



23% MORE CUTS PER CHARGE On average vs DT1162 in 2" x 10" Pine



XR FLEXVOLT™

54V XR FLEXVOLT™ RECIPROCATING SAW

- **POWERFUL** BRUSHLESS MOTOR
- **PERFORMANCE** POWER OF A CORDED UNIT
- **SPEED** 0-3000 SPM
- **VIBRATION** BEST IN CLASS 12m/s²
- **ERGONOMIC** FRONT & REAR HANDLE

54V
LITHIUM ION

BRUSHLESS

XR FLEXVOLT™ RECIPROCATING SAW

No-Load Stroke Rate	0-3000spm
Stroke Length	28.6mm
Max Cutting Capacity Timber	300mm
Hand / Arm Vibration Wood	12m/s ²

	Kit	Bare Unit
Part Number	DCS388T2-XE	DCS388N-XJ
RRP	\$699	\$349

Kit Includes

- 2 x 6.0Ah XR FLEXVOLT™ 18/54V Battery Packs
- XR Fast Charger • Heavy-duty Kit Box



- **UP TO 157 CUTS** 90 x 35mm STRUCTURAL PINE (Using Blade - DW4804)
- **UP TO 497 CUTS** 100 x 100mm PVC WASTE PIPE (Using Blade - DT2349-QZ)



XR EXTREME RUNTIME™ RECIPROCATING SAW BLADES

The XR EXTREME RUNTIME™ Reciprocating Saw blades can achieve 100% more cuts in metal and 36% more cuts in timber.	Part No	Product Description	RRP
	DT99550-QZ	13 Piece XR Metal & Wood + Nails Recip Saw Blade Set	\$69.95
	DT99551-QZ	8 Piece XR Metal & Wood + Nails Recip Saw Blade Set	\$44.95
	DT99552-QZ	203mm 14/18TPI XR Metal Recip Saw Blade 5PK	\$71.40
	DT99553-QZ	152mm 14/18TPI XR Metal Recip Saw Blade 5PK	\$55.00
	DT99554-QZ	152mm 6TPI XR Wood + Nails Recip Saw Blade 5PK	\$39.30
	DT99555-QZ	230mm 6TPI XR Wood + Nails Recip Saw Blade 5PK	\$52.90

MORE CUTS PER CHARGE **100%** METAL BLADES - On average vs DT2346-QZ 152mm x 18TPI in 19mm Rebar
36% WOOD & NAILS BLADES - On average vs DT2359-QZ 152mm x 6TPI in double stacked 19mm Particle Board

XR FLEXVOLT™

54V XR FLEXVOLT™

ALLIGATOR SAW

- **POWERFUL** BRUSHLESS MOTOR
- **PERFORMANCE** OF CORDED
- **CONTROL** SAFE & FAST CUTTING ACTION
- **SPEED** 0-2400 SPM
- **LOW VIBRATION** ULTRA LOW 4.1m/s²

54V
LITHIUM ION

BRUSHLESS

XR FLEXVOLT™ ALLIGATOR SAW

Blade Length	295mm
No-Load Stroke Rate	0-2400rpm
Stroke Length	40mm
Hand / Arm Vibration	4.1 m/s ²
Part Number	DCS396N-XE
RRP	\$399

Supplied as

- Bare Tool and 1 x Rough Wood Blade
- Batteries and Charger available separately

- **UP TO 97 CUTS** 365mm
S8 POROTON BLOCK (Using Blade - DT99590-QZ)

- **UP TO 50 CUTS** 200 x 50mm
TREATED PINE SLEEPER
(Using Blade - DT99592-QZ)



Pictured with DT99590-QZ
Block Blade

DT99592-QZ Rough Wood Blade

XR EXTREME RUNTIME™ ALLIGATOR SAW BLADES

The XR EXTREME RUNTIME™ Alligator Saw and bespoke blade range allow you to get up to 97 cuts on a fully charged battery.	Part No	Product Description	RRP
	DT99590-QZ	295mm Block Blade	\$71.90
	DT99592-QZ	295mm Wood Blade	\$39.95

MORE CUTS PER CHARGE **UP TO 97 CUTS** TCT BLOCK BLADE - On average in 365mm full block cut S8 Thermo Plan Poroton
UP TO 63 CUTS HSS WOOD BLADE - On average in 100mm x 80mm Spruce Timber

XR FLEXVOLT™

54V XR FLEXVOLT™ PLUNGE SAW



BRUSHLESS

THE NEW DEWALT 54V PLUNGE SAW ALWAYS ON THE RIGHT TRACK.

A NEW concept in DEWALT sawing - The plunge saw offers new levels of speed of set up, accuracy of cut and quality of finish. Central to this cutting system is the DEWALT track, which combines with other tools in the DEWALT range, with a full range of attachments and with dust management system to provide a complete job site solution. The DEWALT DCS520T2-XE plunge saw comes as standard with a 1.5m rail, XR Fast Charger, 2 x XR FLEXVOLT™ Battery Packs and a TSTAK™ kit box

SYSTEM

DEWALT guide rails can also be used with most DEWALT routers and circular saws, providing a complete system for the end user.

KIT INCLUDES



DCS520T2-XE



DUST MANAGEMENT

AIR LOCK™ - Fully compatible allowing direct connection with DEWALT dust management system.




FINISH

The DEWALT guide rail system offers anti-splinter lips on both sides of the guide rails.

CAPACITY

165mm blade gives 55mm depth of cut on the rail (59mm off the rail).



TSTAK™



ACCURACY

42 tooth XR EXTREME RUNTIME™ blade - very little breakout in laminates.

SPEED. ACCURACY. SYSTEM.

XR EXTREME RUNTIME™ CIRCULAR SAW BLADES

Part No	Description	Blade Dia	Tooth Ct	Arbor	RRP
DT1086-QZ	EXTREME® Extra Fine Cut	165mm	48T	20mm	\$99.00
DT1087-QZ	EXTREME® Extra Fine Cut	165mm	54T	20mm	\$109.00
DT1088-QZ	EXTREME® Extra Fine Cut	165mm	54T	20mm	\$109.00
DT1089-QZ	EXTREME® Speed Cut	165mm	18T	20mm	\$75.00
DT1090-QZ	EXTREME® Fine Cut	165mm	48T	20mm	\$99.00
DT1091-QZ	EXTREME® Fine Cut	165mm	40T	20mm	\$95.00
DT99560-QZ	XR EXTREME® RUNTIME™ Speed Cut	165mm	24T	20mm	\$31.35
DT99561-QZ	XR EXTREME® RUNTIME™	165mm	42T	20mm	\$35.75



Use XR EXTREME RUNTIME™ Plunge Saw blades with the DCS520 for the ultimate cutting experience.

• **LONGER LIFE** BETWEEN RE-SHARPENING

PATENTED PARALLEL PLUNGE FOR MINIMAL KICK-BACK



POWER

High torque motor delivers powerful cuts in heavy duty applications.

DUST MANAGEMENT

Enclosed guard gives 90% dust extraction capability.

ACCURACY

Superior tool design and excellent rail system with fixed rail adjusters to eliminate deflection during a cut.



BEVEL

47° bevel giving extra capacity in fine finish applications.

VERSATILITY

DE6292-XJ jointing bar allows two rails to be joined together where extra capacity is required such as when cutting sheet material.

EASE OF USE

Low friction strip allows the saw to glide easily along the rail.



SAFETY

Anti kick back function as standard.



DURABILITY

Variable speed for optimum speed selection depending on material being cut.



EASE OF USE

Parallel plunge allows the user to maintain a smooth and constant hand position while cutting.



VERSATILITY

Lockable spindle lock for quick and easy blade changing.



EASE OF USE

Spring loaded riving knife which automatically retracts during plunge cuts.



RAIL STABILITY

The underside of the rail features foam cushioning strips which keep the rail secure on the workpiece during cuts.

DCS520T2-XE

	Bare Unit	Kit
SPECIFICATIONS	DCS520NT-XJ	DCS520T2-XE
Power	54V	54V
No Load Speed	2500-4200rpm	2500-4200rpm
Blade Diameter	165mm	165mm
Bevel Capacity	47°	47°
Max. Depth Cut at 45°	44°	44°
Max. Depth Cut at 45° on Guide Rails	40°	40°
Max. Depth Cut	59°	59°
Max. Depth Cut on Guide Rails	55°	55°
Weight	4.7kg	4.7kg
RRP	\$749	\$1099

ATTACHMENTS AVAILABLE



CODE	DESCRIPTION	RRP
DWS5021-XJ	1m guide rail	\$165
DWS5022-XJ	1.5m guide rail	\$229
DWS5023-XJ	2.6m guide rail	\$319
DWS5025-XJ	Bag - for use with 1m and 1.5m DEWALT guide rails	\$99
DWS5026-XJ	Clamps for use with DEWALT guide rails (Pair)	\$135
DWS5029-XJ	Replacement edge strip	\$55
DWS5030-XJ	Replacement Low Friction Strip (Top of Guide Rail)	\$55
DWS5031-XJ	Router attachment for guide rail	\$135
DWS5032-XJ	Replacement high friction strip (Bottom of Guide Rail)	\$55
DE6292-XJ	Jointing Bar for DEWALT Guide Rails	\$55

XR FLEXVOLT™

54V XR FLEXVOLT™

CIRCULAR SAW

The DCS575 is the new, leading precision Circular Saw

- **POWERFUL BRUSHLESS MOTOR**
- **HEAVY-DUTY 64mm DEPTH OF CUT**
- **SPEED 5800RPM MOTOR**
- **AIRLOCK™ COMPATIBLE DUST EXTRACTION**
- **DEDICATED EXTREME RUNTIME™ BLADE**



BRUSHLESS

54V

LITHIUM ION

XR FLEXVOLT™ CIRCULAR SAW

Blade	184mm x 20mm	
Max Depth of Cut	64mm	
Max Depth of Cut (45°)	46mm	
Bevel Capacity	57°	
Hand / Arm Vibration	2.5 m/s²	
	Kit	Bare Unit
Part Number	DCS575T2-XE	DCS575N-XE
RRP	\$699	\$349



Kit Includes

- **2 x 6.0Ah XR FLEXVOLT™ 18/54V Battery Packs • XR Fast Charger • TSTAK™ Kit Box**
- **UP TO 339 CUTS** 90 x 35mm **STRUCTURAL PINE** (Using Blade - DT99578-QZ)
- **UP TO 87 CUTS** 19mm **YELLOW TONGUE FULL SHEET** (Using Blade - DT99578-QZ)

XR EXTREME RUNTIME™ CIRCULAR SAW BLADES

Cutting 119% more metres per charge than the DeWALT construction blade, XR EXTREME RUNTIME™ Circular Saw blades deliver optimum results.

Part No	Blade Dia	Tooth Ct	Arbor	RRP
DT99577-QZ	184mm	24T	20mm	\$30.80
DT99578-QZ	184mm	36T	20mm	\$36.30
DT99579-QZ	184mm	60T	20mm	\$41.25



119% MORE CUTS PER CHARGE

On average vs DT1211-QZ 184mm x 20mm x 24T ATB (1.8mm Thin Kerf) in double stacked 19mm Plywood



XR FLEXVOLT™

54V XR FLEXVOLT™ 125MM ANGLE GRINDER

- **POWERFUL** BRUSHLESS MOTOR
- **POWER OF CORDED** 1500W MOTOR
- **SAFETY** ELECTRONIC BRAKE & CLUTCH
- **DURABILITY** ABRASION PROTECTED MOTOR
- **ERGONOMICS** ONE-TOUCH GUARD

54V
LITHIUM ION

BRUSHLESS

**PERFORM
PROTECT™**

XR FLEXVOLT™ 125MM ANGLE GRINDER

Max Disc Diameter	125mm	
No-Load Speed	9000rpm	
Spindle Thread	M14	
	Kit	Bare Unit
Part Number	DCG414T2-XE	DCG414N-XJ
RRP	\$699	\$349

Kit Includes

- 2 x 6.0Ah XR FLEXVOLT™ 18/54V Battery Packs
- XR Fast Charger • TSTAK™ Kit Box



- **UP TO 126 CUTS**
12mm REINFORCING BAR (Using Blade - DT99582-QZ)
- **UP TO 42 CUTS**
20mm REINFORCING BAR (Using Blade - DT99582-QZ)
- **UP TO 402 CUTS/86m**
SL72 REINFORCING MESH (Using Blade - DT99582-QZ)

XR EXTREME RUNTIME™ GRINDING & CUTTING DISCS / FLAP DISCS

	Part No	Product Description	RRP
Pairing the XR FLEXVOLT™ Grinder with the appropriate XR EXTREME RUNTIME™ ceramic abrasive disc can enable the tool to deliver up to 39% more cuts and remove 63% more material.	DT99580-QZ	125mm x 6mm Metal Grinding	\$11.30
	DT99581-QZ	125mm x 3mm Metal Grinding	\$7.45
	DT99582-QZ	125mm x 1.1mm Metal Cutting	\$4.65
	DT99583-QZ	125mm Flap Disc 40G	\$14.00
	DT99584-QZ	125mm Flap Disc 60G	\$14.00
	DT99585-QZ	125mm Flap Disc 80G	\$14.00



MORE GRINDS / CUTS PER CHARGE **53%** GRINDING DISC - On average vs DW4514 115mm x 6.35mm x 22.23mm Aluminium Oxide in 1018 Mild Steel
39% CUTTING DISC - On average vs DW8062 115mm x 1.1mm x 22.23mm Aluminium Oxide in 19mm Square Tube
63% FLAP DISC - On average vs DWA8206 115mm x 22.23mm Zirconia in Inconel Plate

XR FLEXVOLT™

54V XR FLEXVOLT™ 3KG SDS+ HAMMER

DEWALT is constantly pushing the boundaries to create the most innovative tools for the construction professional. Power tools which carry the Perform & Protect shield have passed rigorous testing to ensure they exceed the highest demands of the toughest environments, while maintaining a fundamental emphasis on safety. All of these products have to meet strict criteria in one or more of the following core areas: Control; Vibration; Dust.

54V
LITHIUM ION

BRUSHLESS

ANTI-ROTATION CONTROL

CONTROL



An anti rotation system detects a loss of tool control, and reacts by instantly cutting the power.

Kit Includes

- 2 x 9.0Ah XR FLEXVOLT™ 18/54V Battery Packs
- XR Fast Charger • TSTAK™ Kit Box
- UP TO **66 HOLES** 18 x 80mm CONCRETE

POWER & SPEED
The new hammer mechanism delivers 3.5J impact energy at an unrivalled speed of 0-4480 bpm.

3 mode versatility
for hammer-drilling, drill only, and chiselling.

Active Vibration Control
Floating back handle delivers extremely low vibration of 8.5m/s². Increasing levels of user comfort and giving longer trigger time.

XR 54V 9AH Battery Pack
Heavy Duty applications require both POWER & RUNTIME the 9AH battery combined with the unprecedented POWER of the 54V tools ensure you get the job done with POWER OF CORDED FREEDOM OF CORDLESS.



DCH333X2-XE



9
AH

30MM HAMMER

DCH333X2-XE

Power	54V
Impact Energy	3.5J
Weight	3.7kg
Vibration	8.5m/s²
Concrete Capacity	30mm
BPM	0-4480bpm
RPM	0-1000rpm
Size	250mm x 400mm
Tool Holder	SDS-PLUS

	Kit	Bare Unit
Part Number	DCH333X2-XE	DCH333NT-XJ
RRP	\$1049	\$649

XLR - EXTREME LIFE & RELIABILITY POINTS, CHISELS, DRILL BITS

Part No	Description	Fitment	Dia/Width	Overall Length	Working Length	RRP
DT6978-QZ	XLR Pointed Chisel x 300mm	SDS PLUS		300mm		\$26.00
DT6979-QZ	XLR Flat Chisel 25mm x 300mm	SDS PLUS	25mm	300mm		\$26.00
DT8924-QZ	XLR Drill Bit 8mm x 210mm x 150mm	SDS PLUS	8mm	210mm	150mm	\$23.60
DT8929-QZ	XLR Drill Bit 10mm x 210mm x 150mm	SDS PLUS	10mm	210mm	150mm	\$24.30
DT8934-QZ	XLR Drill Bit 12mm x 200mm x 150mm	SDS PLUS	12mm	210mm	150mm	\$29.30

XR FLEXVOLT™

54V XR FLEXVOLT™ 5KG SDS MAX HAMMER



POWER & SPEED
The new hammer mechanism delivers 6.1J impact energy at an unrivalled speed of 0-3150 bpm.

3 mode versatility
for hammer-drilling, drill only, and chiselling.

Active Vibration Control
Floating back handle delivers extremely low vibration of 8.5m/s². Increasing levels of user comfort and giving longer trigger time.

XR 54V 9AH Battery Pack
Heavy Duty applications require both **POWER & RUNTIME** the 9AH battery combined with the unprecedented **POWER** of the 54V tools ensure you get the job done with **POWER OF CORDED FREEDOM OF CORDLESS.**

54V
LITHIUM ION

BRUSHLESS

ANTI-ROTATION CONTROL

CONTROL



An anti rotation system detects a loss of tool control, and reacts by instantly cutting the power.

Kit Includes

- 2 x 9.0Ah XR FLEXVOLT™ 18/54V Battery Packs
- XR Fast Charger • Heavy-duty Kit Box
- UP TO **27.6KG** CONCRETE BREAKING PER CHARGE
- UP TO **16 HOLES** 25 x 150mm CONCRETE
- FASTEST IN CLASS DRILLING SPEED



DCH481X2-XE



9
AH

40MM HAMMER

DCH481X2-XE

Power	54V
Impact Energy	6.1J
Weight	5.4kg
Vibration	8.5m/s²
Concrete Capacity	40mm
BPM	0-3150bpm
RPM	0-540rpm
Size	263mm x 502mm
Tool Holder	SDS-Plus

	Kit	Bare Unit
Part Number	DCH481X2-XE	DCH481N-XJ
RRP	\$1149	\$749

XLR - EXTREME LIFE & RELIABILITY POINTS, CHISELS, DRILL BITS

Part No	Description	Fitment	Dia/Width	Overall Length	Working Length	RRP
DT6889-QZ	XLR Pointed Chisel x 400mm	SDS MAX		400mm		\$49.00
DT6812-QZ	XLR Flat Chisel 25mm x 400mm	SDS MAX	25mm	400mm		\$49.00
DT60809-QZ	XLR Drill Bit 16mm x 340mm x 200mm	SDS MAX	16mm	340mm	200mm	\$98.60
DT60811-QZ	XLR Drill Bit 18mm x 340mm x 200mm	SDS MAX	18mm	340mm	200mm	\$100.75
DT60816-QZ	XLR Drill Bit 20mm x 340mm x 200mm	SDS MAX	20mm	340mm	200mm	\$100.75



XR FLEXVOLT

INTRODUCING THE XR FLEXVOLT™ LANDSCAPING RANGE

XR FLEXVOLT 54V brushless technology now powering cordless landscaping solutions. Exceptional performance and specifications across the range. Outstanding durability, reliability and efficiency for the most challenging applications. Designed for exterior construction clean-up or outdoor landscape maintenance. Ergonomic, portable, lightweight and well-balanced tools for comfort during regular use.

54V XR FLEXVOLT™ BRUSHCUTTER

- HIGH EFFICIENCY BRUSHLESS MOTOR
- 38CM SWATH 2.0MM LINE
- PATENTED GEAR DRIVE MAINTAINS CUT SPEED UNDER LOAD
- 25CM TRI-BLADE & ADAPTOR SET INCLUDED

XR FLEXVOLT™ BRUSHCUTTER

Includes: 9.0Ah FLEXVOLT™ Battery & Charger

	Kit
Part Number	DCM571X1-XE
RRP	\$599



54V XR FLEXVOLT™ BLOWER

- HIGH EFFICIENCY BRUSHLESS MOTOR
- PETROL PERFORMANCE 400 CFM & >193KM/H
- VARIABLE SPEED TRIGGER WITH LOCK
- CURVED TUBE DESIGN
- NOISE 67DB

XR FLEXVOLT™ BLOWER

Kit Includes: 9.0Ah FLEXVOLT™ Battery & Charger

	Kit	Bare Unit
Part Number	DCM572X1-XE	DCM572N-XE
RRP	\$499	\$299



XR FLEXVOLT™ LINE TRIMMER

Brushcutter Tri-Blade & Adaptor Set sold separately RRP \$49

	Bare Unit
Part Number	DCM5712N-XE
RRP	\$399

WARRANTY & SERVICE POLICY



**YEAR
LIMITED
WARRANTY***

*CONDITIONS APPLY



**YEAR FREE
SERVICE
CONTRACT**



**DAY NO RISK
SATISFACTION
GUARANTEE**

GUARANTEED TOUGH WARRANTY

The 3 Year Limited Warranty is a repair warranty that applies to DEWALT branded products* in the unlikely event that the product becomes defective within 3 years of purchase due to faulty materials or workmanship. DEWALT guarantees to replace all defective parts free of charge or at discretion replace the unit. Proof of purchase required.

The 1 Year Service Contract applies to DEWALT branded products that require maintenance or service within 12 months of purchase. DEWALT will provide 1 service free of charge, undertaken by an authorised DEWALT service agent. Proof of purchase required.

The 30 Day No Risk Satisfaction Guarantee If not completely satisfied with the performance of the DEWALT product, it can be returned to the point of purchase within 30 days for a full refund or exchange. Proof of purchase required.

* Unless specifically excluded within the product warranty information

XR FLEXVOLT™

**WE'VE CHANGED THE GAME WITH THE
NEW DeWALT XR FLEXVOLT™ BATTERY**



**ONE BATTERY
TWO VOLTAGES**



18V 54V

Our innovative voltage-changing battery powers both 18V and our **NEW** groundbreaking 54V XR tools, paving the way to the jobsite of the future.

WHAT IS XR FLEXVOLT™ ?

XR FLEXVOLT™ is a range of 54V power tools that offer runtime and performance that has never been seen before. For the first time, trade professionals can reliably undertake heavy-duty construction applications using 54V power without the inconvenience of a cable.

DeWALT XR FLEXVOLT™ is the only battery on the market that can switch from 54V to 18V, making it backward-compatible with your existing XR powertools.

POWER OF CORDED. | FREEDOM OF CORDLESS.

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as trademark.

DeWALT reserves the right to change any price and / or specification at any time without notice.

RRP includes GST.