

# DEWALT®

## ONSITE

NEWS & PROMOTIONS  
OCTOBER - NOVEMBER 2019

PERFORM  
PROTECT

www.DEWALT.co.nz

### GUARANTEED TOUGH®

## FREE VIA REDEMPTION

### 18V XR 4.0AH BATTERY

DCB182-XE



### WHEN YOU BUY ANY 2 DEWALT SKINS\*

### XR FLEXVOLT 6.0AH BATTERY

DCB546-XE



### WHEN YOU BUY ANY 3 DEWALT SKINS\*

\*T&C's apply see page 8 for details. Not available in conjunction with any other offers.

### 18V XR BRUSHLESS HAMMER DRILL DRIVER

DCD778S2T-XE



### WHEN YOU PURCHASE

DWS780-XE, DW735-XE, DW734-XE, DCS520T2-XE

### DEWALT PREMIUM HOODIE



### WHEN YOU PURCHASE

DCS575T2-XE, DCG414T2-XE, DCZ441X2T-XE, DCZ357T2T-XE,  
DCZ333X2T-XE, DCK296T2T-XE, DCZ341T2T-XE

VISIT  
**GUARANTEEDTOUGH.CO.NZ**  
TO REDEEM TODAY

Terms & Conditions Offer valid for products purchased from 01/10/2019 to 30/11/2019, and can be redeemed online until 15/12/2019. Redemption item only available in same transaction. Excludes product sold under license and parallel imports. Not available in conjunction with any other offer. Visit [www.GUARANTEEDTOUGH.co.nz](http://www.GUARANTEEDTOUGH.co.nz) for full Terms & Conditions



FREE  
VIA REDEMPTION  
XR FLEXVOLT BATTERY  
& CHARGER STARTER KIT  
DCB118T1-XE



WHEN YOU PURCHASE ANY  
2 SELECTED LANDSCAPING  
BARE TOOLS  
DCM5712N-XE / DCM5713N-XE, DCM572N-XE, DCM575N-XE,  
DCM561PBS-XE / DCM561PB-XE, DCM562PBXE,  
DCM563PB-XE, DCM565N-XE

18V XR 5.0AH  
BATTERY  
DCB184-XE



WHEN YOU PURCHASE  
SELECTED 18V COMBO KITS  
DCK296P2T-XE, DCK2094P2-XE, DCK578P2-XE, DCK560P2-XE,  
DCK320P2-XE, DCK321P2-XE, DCK496P2-XE

18V XR BRUSHLESS  
125MM RANDOM  
ORBITAL SANDER  
DCW210N-XJ



WHEN YOU PURCHASE  
DCP580P2-XE, DHS780T2A-XE

VISIT  
GUARANTEEDTOUGH.CO.NZ  
TO REDEEM TODAY



OUTDOOR POWER EQUIPMENT

REDEEM\*

54V XR FLEXVOLT  
BRUSHLESS BLOWER  
DCM572N-XE (BARE)

- Power Output: 720W
- Runtime: 15min (DCB547)
- Air Speed: 207km/h
- Air Volume: 423CFM
- Control: Variable speed trigger
- Noise Power: 99.5dB(A)
- Vibration: 1.9m/s²

REDEEM\*

54V XR FLEXVOLT  
BRUSHLESS CHAINSAW  
DCM575N-XE (BARE)

- Power Output: 1500W
- Runtime: 130cuts at 100x100mm (DCB547)
- Chain Speed: 15m/s
- Cut Capacity: 40cm, 3/8"
- Maintenance: Tool-free with auto oiling
- Noise Power: 100.5dB(A)
- Vibration: 3.5m/s²

NEW  
REDEEM\*

18V XR BRUSHLESS SPLIT  
SHAFT LINE TRIMMER  
DCM561PBS-XE (BARE)

- Up to 54 mins runtime (DCB184)
- 33cm swathe with 2.0mm line
- Variable 2 speed control  
0-4600/0-6000rpm
- High efficiency brushless motor
- Automatic bump feed
- Wrap around aux handle

FREE VIA REDEMPTION  
FLEXVOLT STARTER KIT  
FAST CHARGER 6AH  
DCB118T1-XE



\*WHEN YOU PURCHASE  
ANY 2 SELECTED  
LANDSCAPING BARE TOOLS  
DCM5712N-XE, DCM572N-XE, DCM575N-XE,  
DCM561PBS-XE / DCM561PB-XE , DCM562PBXE,  
DCM563PB-XE, DCM565N-XE

REDEEM\*

18V XR HEDGE TRIMMER  
DCM563PB-XE (BARE)

- Up to 70 mins runtime (DCB184)
- 55cm Dual action, hooked-tooth laser cut blades
- 1400spm Cutting strokes/min
- 19mm Cutting gap
- Safety lock
- Wrap around aux handle

REDEEM\*

18V XR BRUSHLESS  
CHAINSAW  
DCM565N-XE (BARE)

- Power Output: 600W
- Runtime: 70cuts at 100x100mm (DCB184)
- Chain Speed: 8m/s
- Cut Capacity: 30cm, 3/8"
- Maintenance: Tool-free with auto oiling
- Noise Power: 96.5dB(A)
- Vibration: 3.5m/s²

REDEEM\*

18V XR BLOWER  
DCM562PB-XE (BARE)

- Up to 20 mins runtime (DCB184)
- 400CFM air volume & and 145km/h
- Variable speed trigger with speed lock
- High efficiency brushless motor
- Free standing base
- Lightweight & compact 2.6kg

TOUGHNESS  
WITHOUT  
LIMITS

54V XR FLEXVOLT  
BRUSHLESS AXIAL BLOWER  
DCMBA572N-XE (BARE)  
DCMBA572X1-XE(KIT)

The NEW 54V XR FLEXVOLT Axial Blower provides petrol performance with the FREEDOM OF CORDLESS. Providing both high speed and huge air volume per minute the unit is ideal for expansive jobsite debris removal. With its ergonomic design and weight balance it is also ideal for prolonged use.

- Air Speed: 200km/h
- Air Volume: 650CFM
- Control: Variable speed trigger
- Ease of Use: Lock-On Trigger at desired speed
- Axial Design provides optimized balance



NEW

18V XR BRUSHLESS  
POLE SAW  
DCMPS567N-XE (BARE)

- Powerful 18V Brushless Motor
- 20cm Low Kick Back Bar and Chain
- Metal Bucking Strops and Tree Hook
- 1.5m reach extendable to 4.5m

NEW  
REDEEM\*

54V XR FLEXVOLT  
BRUSHLESS SPLIT SHAFT  
LINE TRIMMER  
DCM5713N-XE (BARE)

- Power Output: 530W
- Runtime: 46min (DCB547)
- Cut Speed: 0-5600/6600RPM
- Cut Capacity: 38cm Swathe, 2.0mm line
- Control: Variable speed trigger
- Noise Power: 94dB(A)
- Vibration: 10.1m/s²



COMING SOON

# WORLD'S FIRST 54V CORDLESS WALL CHASER

XR FLEXVOLT

PERFORM  
PROTECT

## 54V XR FLEXVOLT BRUSHLESS WALL CHASER (BARE UNIT)

- DCB200NT-XJ**
- 9000RPM,
  - 32mm Max Depth of Cut
  - 35mm Max Width of Cut
  - Wireless Tool Control Module allows for Wireless activation of compatible extractors
  - AirLock Compatible
  - Electronic Brake
- Supplied with 2 x 125mm Diamond Discs and TSTAK Kitbox



WIRELESS  
TOOL CONTROL



## 18V XR HEAT GUN (BARE UNIT)

DCE530-XJ

The DCE530 is our first dedicated cordless heat gun designed for many users and applications on site such as shrinking electrical tubing, bending PVC pipes, drying materials, loosening nuts and bolts and many more. Compatible with all 18V XR batteries the DCE530 features a compact size, 2 temperature settings with a maximum of 530°C to allow for maximum versatility in applications and a lock on switch to improve comfort in longer jobs.

- Dual Action Trigger
- Lock On Button
- LED light
- Supplied with 2 Application Nozzles; surface and reflector



COMING SOON

XR

### DCE530-XJ

Temperature Settings	Automatic
Operating Temperature	290/530°C
Airflow	109/190 L/Min
Weight	0.5 kg

COMING SOON

# 4 PORT FAST CHARGER

CHARGE TIME  
MINUTES



BATTERY

## XR 4 PORT FAST CHARGER DCB104-XE

Get charged quickly with the new 10.8 - 18V 4 port fast charger. With the ability to simultaneously charge four batteries at the same time with 8amp output you will be able to charge 4 x 6.0AH XR FLEXVOLT batteries in one hour. ToughSystem™ Compatible - Featuring side mounts, the charger can be mounted to the top of a ToughSystem™ Storage box for easy jobsite pack up.



# SHORT CHARGE TIME

XR FLEXVOLT  
XR

# LONG RUNTIME

## WHY DEWALT XR FLEXVOLT?

XR FLEXVOLT™ is a range of 54V power tools that offer runtime and performance that has never been seen before. For the first time, trade professionals can reliably undertake heavy-duty construction applications using 54V power without the inconvenience of a cable.

## WHAT ARE XR FLEXVOLT BATTERIES?

DEWALT XR FLEXVOLT™ is the only battery on the market that can switch from 54V to 18V, making it backward-compatible with your existing XR powertools. Offered currently in either 6Ah, 9Ah or 12Ah capacity.





18V / 54V XR BRUSHLESS KITS



18V / 54V 5 PIECE KIT 6AH  
DCZ596T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - XR FAST Charger
  - 2 x DEEP TSTAK VI
- 54V XR FLEXVOLT
- DCS575 54V XR 184mm Circ Saw
  - DCG414 54V XR 125mm Angle Grinder
  - DCS388 54V XR Reciprocating Saw
  - 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

REDEEM

FREE VIA REDEMPTION

18V XR BRUSHLESS ROTARY HAMMER

DCH133N-XJ



WHEN YOU PURCHASE

18V / 54V 5 PIECE KIT 6AH

DCZ596T2T-XE

18V XRP 2 PIECE KIT 6AH  
DCX296T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - XR FAST Charger
  - DEEP TSTAK VI
- 54V XR FLEXVOLT
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

REDEEM

18V / 54V 3PC KIT 6AH  
DCZ341T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - XR FAST Charger
  - 2 x TSTAK II
- 54V XR FLEXVOLT
- DCG414 54V XR 125mm Angle Grinder
  - 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

REDEEM

FREE VIA REDEMPTION

DEWALT PREMIUM HOODIE



WHEN YOU PURCHASE

DCX296T2T-XE, DCZ341T2T-XE

18V XR BRUSHLESS KITS



REDEEM

18V XR BL 2PC KIT 5AH  
DCK2094P2-XE

- DCD996 3 Speed Hammer Drill/Driver
  - DCF894 1/2" Compact Mid Torque Wrench
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - Multi Voltage Charger
  - 1/2" Square to 1/4" Hex Adaptor



REDEEM

18V XRP BL 2PC KIT 5AH  
DCK296P2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - XR FAST Charger
  - DEEP TSTAK II



REDEEM

18V XR BRUSHLESS 3PC  
KIT 5AH  
DCK321P2-XE

- DCD796 2 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - DCG405 125mm Angle Grinder Slide Switch
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - Contractor Bag



REDEEM

18V XR BRUSHLESS 5  
PIECE KIT 5AH  
DCK560P2-XE

- DCD796 2 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - DCG405 125mm Angle Grinder Slide Switch
  - DCS367 Compact Reciprocating Saw
  - DCS570 184mm Circular Saw
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - Contractor Bag



REDEEM

18V XR BRUSHLESS  
5 PIECE KIT 5AH  
DCK578P2-XE

- DCD796 2 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - DCS570 184mm Circular Saw
  - DCP580 Planer
  - DCS367 Compact Reciprocating Saw
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - Contractor Bag
  - TSTAK II



REDEEM

18V XR BRUSHLESS 3PC  
KIT 5AH  
DCK320P2-XE

- DCD796 2 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - DCS570 184mm Circular Saw
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - Contractor Bag



REDEEM

18V XR BRUSHLESS 4 PIECE KIT 5AH  
DCK496P2-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF894 1/2" Compact Mid Torque Wrench
  - DCF887 3 Speed Impact Driver
  - DCG406 125mm Grinder Paddle Switch
- Kit Includes:
- 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - Contractor Bag
  - 1/2" Square to 1/4" Hex Adaptor
  - TSTAK II

FREE VIA REDEMPTION

18V XR 5.0AH BATTERY

DCB184-XE



WHEN YOU PURCHASE

DCK296P2T-XE, DCK2094P2-XE, DCK578P2-XE, DCK560P2-XE,  
DCK320P2-XE, DCK321P2-XE, DCK496P2-XE



FREE VIA REDEMPTION

BARE TOOL **MULTI-BUY** OFFER....

AVAILABLE WITH ANY MIX  
OF **54V** OR **18V** BARE TOOLS\*

18V



PURCHASE ANY **2**  
**54V** OR **18V** BARE TOOLS  
**REDEEM**  
**18V 4.0AH BATTERY\***

100+  
OUR  
FASTEST GROWING  
SYSTEM

PURCHASE ANY **3**  
**54V** OR **18V** BARE TOOLS  
**REDEEM**  
**54V/18V 6.0AH BATTERY\***



54V



\*OFFER AVAILABLE FOR ANY MIX OF 18V AND XR FLEXVOLT TOOLS, 18V BATTERY COMPATIBLE WITH 18V XR TOOLS ONLY.  
XR FLEXVOLT BATTERY SWITCHES VOLTAGE TO WORK WITH ALL 18V & 54V TOOLS. NOT AVAILABLE IN CONJUNCTION WITH ANY OTHER OFFERS.  
OFFER EXCLUDES COMPACT LIGHTING, WORKSITE SPEAKERS, JOBSITE BLOWERS AND OUTDOOR LANDSCAPING EQUIPMENT.

VISIT  
**GUARANTEEDTOUGH.CO.NZ**  
TO REDEEM TODAY







ULTIMATE SAFETY.  
MAXIMUM  
PRODUCTIVITY.



ADVANCED DUST  
MANAGEMENT  
SOLUTIONS

When the Perform & Protect shield is awarded for control, it is guaranteed that additional innovative torque control safety features have been incorporated into the design of the tool.



UP  
TO 50%  
LESS VIBRATION

When the Perform & Protect shield is awarded for vibration, it is guaranteed that Tri-Axial vibration levels have been reduced, increasing usage time without reducing performance.



COMPLETE  
TORQUE  
CONTROL

When the Perform & Protect shield is awarded for dust, it is guaranteed the potential of inhaling dust is dramatically reduced to give a cleaner, safer working environment while also increasing the durability of the tool.



M CLASS

CORDLESS  
DUST EXTRACTION  
IS HERE!

54V XR FLEXVOLT M-CLASS  
DUST EXTRACTOR DCV586M

Powered by 54V XR FLEXVOLT technology the DCV586M is the ultimate dust extraction solution for a new generation of cordless tools and the key to unlocking the cordless jobsite.

The DEWALT BRUSHLESS motor and high capacity XR FLEXVOLT battery coupled with dual M-Class certified filters with automatic cleaning delivers powerful, constant performance and runtime for the most

demanding applications.

Other features include a remote for wireless operation, a recessed battery housing to protect from jobsite conditions and TSTAK compatibility.



DCV586M

Filter clean	Automatic
Wet / dry	Yes
Tool actuation	Wireless keyfob
Capacity	11 L
Hose length	2.5 m

\*Bare unit DCV586MN-XJ

1400W L-CLASS DUST  
EXTRACTOR DWV900L-XE

DWV900L	
Power Input	1400W
Max Airflow	4080L/min
Capacity	30L
Power Take Off Rating	2200W
Wet/Dry	Yes




1400W 38L M CLASS DUST EXTRACTOR  
DWV902M-XE

DCV902M	
Power Input	1400W
Max Airflow	4010L/min
Capacity	38L
Power Take Off Rating	2200W
Wet/Dry	Yes



FREE VIA REDEMPTION  
FLOOR CLEANING KIT  
DWV9350-XJ



WHEN YOU PURCHASE  
DWV902M-XE, DWV900L-XE, DCV586MT2-XE



18V / 54V XR COMBO KITS



- 18V / 54V 4 PIECE KIT 9AH**  
**DCZ441X2T-XE**
- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - DCF899 3 Speed High Torque Impact Wrench
  - XR FAST Charger
  - 2 x DEEP TSTAK VI
- 54V **XR FLEXVOLT**
- DCG414 54V XR 125mm Angle Grinder
  - 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries

REDEEM



- 18V / 54V 3PC KIT 6AH**  
**DCZ357T2T-XE**
- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - XR FAST Charger
  - DEEP TSTAK VI & TSTAK II
- 54V **XR FLEXVOLT**
- DCS575 54V XR 184mm Circ Saw
  - 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

REDEEM



- 18V / 54V 3 PIECE KIT 9AH**  
**DCZ333X2T-XE**
- DCD996 XRP 3 Speed Hammer Drill Driver
  - DCF887 3 Speed Impact Driver
  - DEEP TSTAK VI & TSTAK II
  - XR FAST Charger
- 54V **XR FLEXVOLT**
- DCH333 54V XR 3kg SDS-PLUS Rotary Hammer
  - 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries

REDEEM

**FREE VIA REDEMPTION**  
**DEWALT PREMIUM HOODIE**



**WHEN YOU PURCHASE**  
DCZ441X2T-XE, DCZ357T2T-XE, DCZ333X2T-XE

54V **XR FLEXVOLT**  
PLUNGE SAW 165MM  
(6 1/2") 6.0Ah KIT

**DCS520T2-XE - KIT**

Voltage	54V
Blade Speed	2500-4200 rpm
Blade Size	165mm
Bore	20mm
Max Depth of Cut (at 90° on track)	55mm
Bevel Capacity	0-47°

Includes DWS5022 1.5m Plunge Saw Guide Rail



**FREE VIA REDEMPTION**  
**18V XR HAMMER DRILL DRIVER**

DCD778S2T-XE



REDEEM

**54V **XR FLEXVOLT** BRUSHLESS 184MM  
(7 1/4") CIRCULAR SAW KIT**  
**DCS575T2-XE**

- DCS575 54V XR Li-Ion Brushless 184mm Circular Saw 64mm DoC
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries
- DCB118 XR Fast Charger
- DEEP TSTAK VI



REDEEM

**54V **XR FLEXVOLT** BRUSHLESS 125MM  
GRINDER KIT**  
**DCG414T2-XE**

- DCG414 Brushless XR 125mm Angle Grinder
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries
- DCB118 XR Fast Charger
- DWST1-70703 TSTAK Storage box

**FREE VIA REDEMPTION**  
**DEWALT PREMIUM HOODIE**



**WHEN YOU PURCHASE**  
DCS575T2-XE, DCG414T2-XE



REDEEM

**108V 305MM FLEXVOLT  
MITRE SAW**  
**DWS780T2A-XE**

Power Input	2 x 54V Cordless or 230V AC
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 369 x 470mm
Weight	25kg

**FREE VIA REDEMPTION**  
**18V XR BL 125MM RANDOM  
ORBITAL SANDER**

DCW210N-XJ





# 18V XR BRUSHLESS UNIVERSAL DUST EXTRACTOR



## DWH161N-XJ

DWH161N-XJ The DWH161 Brushless Universal Dust Extractor is a lightweight, wearable, high mobility dust extraction solution. It's optimized for a wide range of tools and applications including SDS Plus Rotary Hammers for drilling and chipping, percussion hammer drills, drywall cutout tools, sanders, routers, and jig saws.

- Independent unit powered by DeWALT Battery
- Wireless Tool Control
- HEPA Certified Filter
- 1m Flexible Hose, Belt Hook, Carry/Shoulder Strap, Universal Fitment

Rotary hammer not included



## 18V XR BRUSHLESS IN-LINE 3 MODE SDS+ ROTARY HAMMER


**DCH263N-XJ BARE TOOL**  
**DCH263P1-XE KIT**

3.0J of impact energy allowing concrete drilling up to 28mm  
PERFORM & PROTECT - Anti-Vibration Control rear handle reduces hand/arm vibration to 9.1m/s2  
3 Modes – Rotary only drilling, Hammer Drilling and Chiseling

High-performance 3.0J inline cordless SDS-Plus Rotary Hammer Drill enabling fast drilling up to 28mm Ø into solid concrete – now the most powerful 18V SDS-Plus hammer in the DeWALT® range



# HEAVY DUTY CORDLESS SDS+ ROTARY HAMMERS



## 18V XR HIGH POWERED SDS+ ROTARY HAMMER 5.0AH

**DCH283P2-XE**

- No Load Speed 0 - 980rpm
  - Max. Drilling Capacity Concrete 26mm
  - Hand/Arm Vibration - drilling into Concrete 8.5m/s2
  - Blows Per Minute 0 - 4480bpm
  - Impact Energy 2.8J
- Kit Includes:
- 2 x 5AH 18V XR Batteries
  - DCB115-XE MULTI-VOLTAGE CHARGER



## 54V XR FLEXVOLT SDS+ 3-MODE HAMMER DRILL KIT 9.0AH

**DCH333NT-XJ (BARE)**  
**DCH333X2-XE (KIT)**

- No Load Speed 0 - 1000rpm
  - Max. Drilling Capacity Concrete 30mm
  - Hand/Arm Vibration - drilling into Concrete 7.5m/s2
  - Blows Per Minute 0 - 4480bpm
  - Impact Energy 3.5J
- Kit Includes:
- 2 X 9AH 18V/54V XR FLEXVOLT Batteries
  - XR FAST CHARGER
  - T-STAK KIT BOX

## XLR SDS-PLUS® 4 CUTTER



- 4 flute helix maximises debris removal for fast drilling and clear holes
- Solid piece carbide with 4 cutting faces to prevent jamming in rebar
- The carbide tip and body brazed together via an innovative welding technique
- Optimised heat treatment for maximum strength
- The drill tip and body are connected using the resistance welding method
- Available in Ø sizes from 5mm to 14mm



REDEEM



1675W 305MM (12") DOUBLE BEVEL SLIDE COMPOUND MITRE SAW (XPS)

DWS780-XE (MAINS POWERED 230V AC)

Power Input	1675W
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kg

Kit Includes

- 60 Tooth Blade
- Blade Spanner
- Dust Bag
- Material clamp

	X	Y	Z	W	H	D
90° 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45° 45°	315 mm	50 mm				



FREE VIA REDEMPTION 18V XR HAMMER DRILL KIT

DCD778S2T-XE



Precision machined base and rotary table for jobsite durability

Stainless mitre detent lock – delivers outstanding repeatable accuracy

Tall dual sliding fences – maximising work piece stability and accuracy

GUARANTEED TOUGH MACHINERY

REDEEM

254MM (10") HEAVY DUTY TABLE SAW 2000W DWE7491-XE

DWE7491-XE

Rip Capacity	825mm
Max. D.O.C.	79mm @ 90°
Weight	26.6kg

Includes:

- 24 tooth saw blade
- Mitre attachment
- 2 blade spanners & push stick
- Rack & Pinion Fence for Increased Accuracy & ease of use

Rolling table saw stand sold separately.

FREE VIA REDEMPTION

1350W 184MM CIRCULAR SAW DWE560-XE



13 THICKNESS PLANER 3 CUTTER 2 SPEED DW735-XE

- 330MM 2 Speed Fan Assisted
- 3 Cutter Head
- 1800W Motor
- Three knife cutter head 10,000 RPM
- Two speed operation
- Capacity: 330mm x 152mm (3mm max cut depth)
- Feed rate: 4m - 8m / min
- Fan assisted chip ejection system
- Includes: Dust hose adapter, Dust ejection chute

FREE VIA REDEMPTION

18V XR HAMMER DRILL KIT

DCD778S2T-XE



REDEEM



WOODWORKING SOLUTIONS



PORTABLE THICKNESSER  
DW734-XE

Power Input	1800 W
No Load Speed	10000 rpm
Max. Capacity	317 mm
Max. Depth of Cut	3 mm

FREE VIA  
REDEMPTION  
18V XR HAMMER DRILL DRIVER  
DCD776C2-XE



REDEEM



REDEEM

1050W 4.0MM HEAVY DUTY PLANER  
D26500K-XE

Power Input	1050W
Power Output	620 W
No Load Speed	13500 rpm
Maximum Depth of Cut	4 mm
Rebating Depth	25 mm
Planer Width	82 mm



REDEEM

1300W 165MM HEAVY DUTY PLUNGE SAW  
DWS520KT-XE

Power Input	1300 W
No Load Speed	1750-4200 RPM
Blade Diameter	165 MM
Blade Bore	20 MM
Bevel Capacity	47°

FREE VIA REDEMPTION  
230W 1/4 SHEET SANDER  
DWE6411-XE



FREE VIA REDEMPTION  
A SELECTED PLANER OR PLUNGE SAW  
D26500K-XE, DWS520KT-XE

18V XR TOOL CONNECT  
AREA LIGHT

TOOL  
CONNECT

GET CONNECTED.  
TAKE CONTROL.

DCL074-XJ - BARE UNIT

Beam Pattern	Area - 360°
Max. Output	5000lm
Colour Temperature	4000K
IP Rating	54
Weight	3.8kg
Runtime	Up to 10Hrs*

18V XR LED TRIPOD  
WORKLIGHT  
DCL079-XJ

Compatible with all 18V XR batteries this height adjustable durable worklight is IP rated to work in the toughest conditions. Features 3 brightness settings with a neutral colour perfect for checking surface finishes.

Bulb Type	LED
Max Output	3000 lm
Colour Temperature	4000 K
IP Rating	55



LED PIVOT SPOT LIGHT  
DCL043-XE

- 100-1000 Lumen output
- 400m distance
- Articulating lamp head
- Up to 10 hours runtime\*




LED PIVOT TASK LIGHT  
DCL050-XE

- 250-500 Lumen output
- 9 position articulating lamp head
- Broad and even beam pattern
- Up to 10 hours runtime\*

\*Runtime based on a 18V XR 5Ah Battery Pack.



XR EXTREME RUNTIME CIRCULAR SAW BLADES



SINGLE PACKS

CAT. NO.	BLADE Ø MM	BORE Ø MM	BLADE THICKNESS MM	KERF THICKNESS MM	KERF TYPE	NO. OF TEETH
DT99561-QZ	165	30	1.2	1.76	THIN	42
DT99565-QZ	210	30	1.24	1.8	THIN	24
DT99566-QZ	210	30	1.24	1.8	THIN	36
DT99567-QZ	210	30	1.24	1.8	THIN	60
DT99568-QZ	216	30	1.6	2.16	THIN	24
DT99569-QZ	216	30	1.6	2.16	THIN	36
DT99570-QZ	216	30	1.6	2.16	THIN	60
DT99577-QZ	184	20	0.82	1.55	THIN	24
DT99578-QZ	184	20	0.82	1.55	THIN	36
DT99579-QZ	184	20	0.82	1.55	THIN	60
DT99595-QZ	305	25.4	1.6	2.16	THIN	60
DT99596-QZ	305	25.4	1.6	2.16	THIN	78

ALUMINIUM OXIDE BONDED ABRASIVES MAXIMISED LIFE. EXTREME PERFORMANCE.



FEATURES

Industrial aluminium oxide grain designed to maximise life and performance.  
oSa® accredited / Australian Standard AS 1788.1-1987 compliant.  
High density grain concentration for longer life.  
Up to 2x life (vs. High Performance bonded abrasives).

APPLICATIONS

For general metal grinding work and cutting on stainless steel, ferrous and non-ferrous metals including weld and surface preparation.

FOR USE WITH

Corded and cordless angle grinders.

EXTREME® BONDED ABRASIVES – SINGLE PACKS

CAT. NO.	DESCRIPTION	DIA. MM	THICK MM	BORE MM
DT43967-QZ	THIN FAST CUT	100	1	16.00
DT43931-QZ	THIN FAST CUT	115	1	22.23
DT43932-QZ	THIN FAST CUT	125	1	22.23
DT43969-QZ	THIN CUT	100	1.2	16.00
DT43933-QZ	THIN CUT	115	1.2	22.23
DT43934-QZ	THIN CUT	125	1.2	22.23
DT43938-QZ	THIN CUT	180	1.6	22.23
DT43939-QZ	THIN CUT	230	1.9	22.23



18V XR BRUSHLESS KITS



REDEEM

18V XRP BL KIT 5AH DCD996P2-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- No Load Speed: 0-2000rpm (Speed 3)
- 820 UW0
- Kit Includes:
  - 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - TSTAK Kit Box



REDEEM

18V XR BL KIT 5AH DCD796P2-XE

- DCD796 XR 2 Speed Hammer Drill Driver
- Load Speed: 0-2000rpm (Speed 2)
- 15 Position Adjustable Torque
- Kit Includes:
  - 2 x 5Ah 18V XR Batteries
  - DCB115-XE Multi-Voltage Charger
  - TSTAK Kit Box



REDEEM

XR 18V 3 SPEED BL IMPACT DRIVER 5AH DCF887P2-XE

- No-load speed: 0-3,250rpm
- Impacts per min: 0-3,800ipm
- Torque: 205 Nm
- Kit Includes:
  - 2 x 5.0Ah XR Li-Ion Batteries
  - Multi Voltage Charger
  - TSTAK Kit Box

FREE VIA REDEMPTION

18V XR JOBSITE BLOWER DCV100-XE



WHEN YOU PURCHASE

A SELECTED 18V XR BRUSHLESS KIT DCF887P2-XE, DCD996P2-XE, DCD796P2-XE



REDEEM

18V XR BRUSHLESS PLANER DCP580P2-XE

- Max cut depth 2mm
- Planer width 82mm
- Drum speed 15,000 rpm
- Rebate depth 9mm
- Drum diameter 48mm
- Kit Includes:
  - 2 X 5.0Ah Xr Li-Ion Batteries
  - Multi Voltage Charger
  - Blades, Dust Bag
  - Side Fence, Tstak™ Kit Box

FREE VIA REDEMPTION 18V XR BL 125MM RANDOM ORBITAL SANDER DCW210N-XJ

DCW210N-XJ





INTERLOCKING  
STACKABLE  
STORAGE

TSTAK<sup>®</sup>

COMING SOON



**TSTAK™ POWER TOOL TOTE  
DWST82990-1**

- 1200D Fabric
- 30kg load capacity
- Hard base
- Size: 450mm (W) x 250mm (L) x 350mm (H)



**TSTAK™ POWER TOOL BAG  
DWST82991-1**

- 1200D Fabric
- 30kg load capacity
- Hard base
- Size: 450mm (W) x 250mm (L) x 300mm (H)



IP54

**TSTAK™ WATER SEALED  
ORGANISER  
DWST82968-1**

- IP54 water and dust resistant
- Removable cups for small parts, accessories and long tools
- Transparent lid allows content visibility
- Size: 337mm (W) x 440mm (L) x 119mm (H)



**TSTAK™ VIII  
DWST1-71228**

- Large interior for bulk storage
- 10kg load capacity
- Size: 275mm (W) x 440mm (L) x 320mm (H)



**TSTAK™ VII  
DWST1-75774**

- Large aluminium handle
- 30kg load capacity
- Top organiser with fixed dividers in the lid for small parts
- Size: 323mm (W) x 442mm (L) x 338mm (H)

INTERLOCKING STACKABLE  
STORAGE

TSTAK<sup>™</sup>



**TSTAK™ I  
DWST1-70704**

- Large aluminium handle
- 30kg load capacity
- Adaptable foam insert
- Size: 330mm (W) x 435mm (L) x 185mm (H)



**TSTAK™ III  
DWST1-70705**

- Removable dividers for small parts organisation
- 30kg load capacity
- Size: 315mm (W) x 430mm (L) x 175mm (H)



**TSTAK™ IV  
DWST1-70706**

- Dividers for small parts organisation
- 30kg load capacity
- Size: 320mm (W) x 430mm (L) x 180mm (H)



**TSTAK™ II  
DWST1-70703**

- Foam insert for tool protection
- 30kg load capacity
- Size: 330mm (W) x 440mm (L) x 155mm (H)



**TSTAK™ VI  
DWST1-71195**

- Includes removable tray for quick access to small tools and accessories
- 30kg load capacity
- Size: 330mm (W) x 440mm (L) x 300mm (H)



**TSTAK™ MOBILE TOOL BOX  
DWST1-75799**

- Durable 7" wheels
- 30kg load capacity
- Roll up to 50kg with the telescopic handle
- Size: 512mm (W) x 435mm (L) x 1000mm (H)



# FREE VIA REDEMPTION BARE TOOL MULTI-BUY OFFER....

# 18V

AVAILABLE WITH ANY MIX  
OF **54V** OR **18V** BARE TOOLS\*



**PURCHASE ANY 2  
54V OR 18V BARE TOOLS  
REDEEM  
18V 4.0AH BATTERY\***

**PURCHASE ANY 3  
54V OR 18V BARE TOOLS  
REDEEM  
54V/18V 6.0AH BATTERY\***



VISIT  
**GUARANTEEDTOUGH.CO.NZ**  
TO REDEEM TODAY



# 54V

\*OFFER AVAILABLE FOR ANY MIX OF 18V AND XR FLEXVOLT TOOLS, 18V BATTERY COMPATIBLE WITH 18V XR TOOLS ONLY. XR FLEXVOLT BATTERY SWITCHES VOLTAGE TO WORK WITH ALL 18V & 54V TOOLS. NOT AVAILABLE IN CONJUNCTION WITH ANY OTHER OFFERS.

OFFER EXCLUDES COMPACT LIGHTING, WORKSITE SPEAKERS, JOBSITE BLOWERS AND OUTDOOR LANDSCAPING EQUIPMENT.

DeWALT  
39 Business Parade North  
East Tamaki Auckland  
Telephone: 0800 339 258  
Fax: 09 273 3392

**www.DEWALT.co.nz**

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT reserves the right to change any deal, and / or specification at any time without notice.  
Onsite Offers promotion runs from 01/10/2019 - 30/11/2019.  
Deals available while stocks last and only at participating stores.

**DELIVERY MAY TAKE UP TO 45 DAYS FROM RECEIPT OF ENTRY, SIGNATURE REQUIRED UPON DELIVERY, ITEMS WILL NOT BE LEFT UNATTENDED. NO PO BOXES ACCEPTED. THIS OFFER CANNOT BE USED IN CONJUNCTION WITH ANY OTHER OFFER. SEE WEBSITE FOR FULL TERMS AND CONDITIONS. TO MAKE A CLAIM OR FOR FULL T&C'S GO TO: WWW.GUARANTEEDTOUGH.CO.NZ**

Redemption offers are valid only to those consumers who purchase one of the selected DeWALT NZ products between October 1st - November 30th 2019. Proof of purchase is essential to validate claim. Receipt must clearly show model of tool purchased, date of purchase, place of purchase and the price paid to substantiate the claim. DeWALT NZ reserves the right to request further information regarding proof of purchase from the redeemer if circumstances warrant. Keep your original receipt for warranty purposes, as proof of purchase. Goods must be fully paid for at the time of purchase and on ONE receipt to be eligible. DeWALT NZ accepts no liability for claims that may be delayed, misdirected or lost in the mail causing them to not be received by the closing date. Redemption offers will be dispatched within 45 working days of receipt of the claim while stocks last. This redemption offer is not valid to employees of DeWALT NZ. All Redemption Offer claims must be received by 14th December 2019. This promotion cannot be used in conjunction with any other offer, limited stock available. Offer available while stocks last. An alternative redemption item may be provided at the discretion of DeWALT NZ. Offer only valid when product purchased through authorised resellers of DeWALT NZ. Excludes parallel importers.

**REGISTER AT**

Be the first to see product news and special offers from DeWALT.  
Register at MYDeWALT to be sent onsite offers by email.  
Simply go to [www.DEWALT.co.nz/MYDeWALT](http://www.DEWALT.co.nz/MYDeWALT)

